



检测报告

TEST REPORT

Report No.

样品名称

Product Name

规格/型号

Spec/Model

生产厂家

Manufacturer

检测项目


Test Item

检测结果

Test Result

备注

Remarks



China Test Technology Co., Ltd.

说明
Introduction

本检测报告的有效性依赖于检测单位检测结果的准确性。

This report is considered invalidated without the Special Seal for Inspection of the QS.

本报告编制人、审核人、签发人、检测单位、检测日期、检测地点、检测人员、检测设备等。

This report is intended for use as a sign of the author, the auditor and the issuer. This report shall not be altered.

3. 本报告复制无效。

This report shall not be copied.

检测结果的有效性依赖于检测单位检测结果的准确性。

This report for sample, v

本报告的有效性依赖于检测单位检测结果的准确性。

0. 本报告的有效性

countable only to the limit. If you want to use it for others, please contact

This report is ac

1.任务来源

湖北求实检测技术有限公司受仙桃市乾东电力环保科技有限公司委托,于2022年04月26日就其2022年4月份环保检测项目进行委托检测,并出具检测报告。口近行分析检测。

2.基本情况

仙桃乾东电力环保科技有限公司主要承接武汉地区发电、供热、环保处理能力及10000吨/年,年生产干数为230万吨。有组细废气主要来源于生产废气,经过UV光催化氧化法脱臭,经活性炭吸附后排放。

3.检测方案


大册 | 检测项目 | 检测方法 | 检测方法及编号 | 检出限

按上衣				
类别	检测项目	检测仪器及编号	检出限	
		ED200ms		

按照《固定污染源监测质量保证与质量控制技术规范》(试行)(HJ11-373,3-2007)、《工业固体废物采样技术导则》(HJ/T20-1998)等规定,对检测的全过程进行质量保证和控制。

5.1 参加检测的技术人员,均持有上岗证书。

5.2 检测仪器设备经国家计量部门检定合格,并在有效期内使用。





检测结论

4.1 有组织废气检测结果

26	1#(1号炉 废气排气筒)	镍	1	4.7×10 ⁻³	4.4×10 ⁻³	/	2022.0
			2	5.2×10 ⁻³	4.9×10 ⁻³		
			3	4.7×10 ⁻³	4.5×10 ⁻³		
		锑	1	4×10 ⁻⁴ L	7×10 ⁻⁴ L	/	
			2	8×10 ⁻⁴ L	7×10 ⁻⁴ L		
			3	8×10 ⁻⁴ L	8×10 ⁻⁴ L		
		铜	1	0.135	0.126	/	
			2	0.126	0.120		
			3	0.130	0.124		
		锰	1	0.032	0.015	/	
			2	0.021	0.020		
			3	0.021	0.020		
		钒	1	9×10 ⁻⁴ L	8×10 ⁻⁴ L	/	
			2				
			3				
		钛	2	0.033	0.031	/	
			3	0.027	0.026		

接上表

采样日期		检测点位	检测项目	检测 次数	检测结果 (mg/m ³)	折算浓度 (mg/m ³)	最高允许排放 浓度(mg/m ³)
			汞	1	3.5×10 ⁻⁵	3.1×10 ⁻⁵	0.2
				2	3.6×10 ⁻⁵	3.2×10 ⁻⁵	
				3	3.4×10 ⁻⁵	3.1×10 ⁻⁵	
		1	8×10 ⁻⁴ L	7×10 ⁻⁴ L	0.1		
	镉	2	8×10 ⁻⁴ L	7×10 ⁻⁴ L			
		3	8×10 ⁻⁴ L	7×10 ⁻⁴ L			
	铅	1	0.013	0.012	1.6		
		2	0.010	9×10 ⁻³			
		3	0.018	0.017			
	铬	1	9×10 ⁻³	8×10 ⁻³	/		
		2	8×10 ⁻³	7×10 ⁻³			
		3	8×10 ⁻³	7×10 ⁻³			
	钒	1	2×10 ⁻³ L	2×10 ⁻³ L	/		
		2	2×10 ⁻³ L	2×10 ⁻³ L			
		3	2×10 ⁻³ L	2×10 ⁻³ L			
	钴	1	7.4×10 ⁻³	6.8×10 ⁻³	/		
		2	7.4×10 ⁻³	6.8×10 ⁻³			
		3	7.4×10 ⁻³	6.8×10 ⁻³			
	镍	1	8×10 ⁻⁴ L	7×10 ⁻⁴ L	/		
		2	8×10 ⁻⁴ L	7×10 ⁻⁴ L			
		3	8×10 ⁻⁴ L	7×10 ⁻⁴ L			
	铜	1	0.136	0.125	/		
		2	0.148	0.138			



报告编号: HBQSBG20220420010

Test Report

附件: 废气排气筒烟气参数

日期	检测点位	检测项目	检测频次	标干流量(m ³ /h)	含氧量(%)	烟温(℃)	流速(m/s)
			1	108529	10.4		

附图 1: 采样点位示意图



大门

接上表

